



1/11




FIG. 1A




FIG. 1B



NEEDLE DEVICE HAVING SLIDEABLE MEMBER PROVIDING ENHANCED SAFETY

Alan P. Reid

Application No.: 10/712,600

2/11




FIG. 2A




FIG. 2B



NEEDLE DEVICE HAVING SLIDEABLE MEMBER PROVIDING ENHANCED SAFETY

Alan P. Reid

Application No.: 10/712,600

4/11




FIG. 2C





NEEDLE DEVICE HAVING SLIDEABLE MEMBER PROVIDING ENHANCED SAFETY

Alan P. Reid

Application No.: 10/712,600

5/11





NEEDLE DEVICE HAVING SLIDEABLE MEMBER PROVIDING ENHANCED SAFETY

Alan P. Reid

Application No.: 10/712,600

6/11





FIG. 3B



7/11




FIG. 4B




FIG. 4C




FIG. 4A




FIG. 5B



NEEDLE DEVICE HAVING SLIDEABLE MEMBER PROVIDING ENHANCED SAFETY

Alan P. Reid

Application No.: 10/712,600

9/11

FIG. 6





FIG. 7A



10/11




FIG. 7B




FIG. 7C




FIG. 7D



11/11




FIG. 8A




FIG. 8B




FIG. 8C